





CSWDH 100 - Hanging turntable motor
 With and with out slip ring versions.

**Turntable
 for indoor use:**

Due to its zinc die cast housing and rotating shaft supported by double ball bearing, the SWD 100 H is a compact, universal and extremely robust turntable, suitable for indoors as a hanging unit only. The CSWD 100 H is a reliable turntable for various constructions, allowing up to 20 kg (44 lbs.) hanging load.

Features:

- ☒ zinc die cast housing
- ☒ very silent
- ☒ maintenance-free
- ☒ safety clutch
- ☒ optional: slip ring for rotating power supply max. 4 A (220-240 V = 900 W; 110 V = 440 W)





Technical Data

SWD 100 H SWD 100 H S

- ☒ max. centric tensile load: 10 kg (44 lbs)
- ☒ total height: 107 mm (4 7/32 ") (incl. shackle)
- ☒ nominal voltage: 220 to 240 V, 50 Hz, optional 115 V, 60 Hz
- ☒ motor power consumption: 4 W
- ☒ rotation speed: 2.5 rpm, rotating counterclockwise
- ☒ dead weight: 1.0 – 1.2 kg

Additional Features (on demand / on surcharge):

- ☒ housing white coated
- ☒ country-specific plug
- ☒ Second power cord to use the slip ring separately
- ☒ rotation direction: clockwise
- ☒ other rotating speeds
- ☒ **further options on request**

¹Technical Information:

The rotation speed in the 60 Hertz grid (US version) is approx. 20% higher than in the 50 Hertz grid. Higher rotation speed can reduce the maximum load, so that the above mentioned characteristics are no longer valid.